EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	("20020091940" or "6763462" or "5889943").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:18
S1	805	726/22-24.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 16:52
S2	302	S1 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 09:38
S3	88056	("electronic mail" or "email" or "e-mail")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:36
S4	1063	S3 and ((reserv$3 with address) or (honey with pot) or decoy)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:21
S5	674	S4 and (report$3 or alert$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:17
S6	219	S5 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:17
S7	5	S2 and S6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:17

S8	30690	S3 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:20
S9	223	S8 and (virus with detect$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:20
S10	53	S9 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:21
S11	7	S9 and S4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 14:29
S12	2	S10 and ((reserv$3 with address) or (honey with pot) or decoy)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:22
S13	1889	("electronic mail" or "email" or "e-mail") with (filter$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 10:00
S14	564	S13 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:25
S15	34	S14 and (virus with detect$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:35

S16	8	S15 and (address with filter$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:25
S17	178	S14 and (address with filter$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:38
S18	0	S17 and (honey with pot)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:36
S19	2	S17 and decoy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:36
S20	70	S14 and (recipient with filter$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:39
S21	0	S14 and ("honey pot" with address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 09:59
S22	133	(("electronic mail" or "email" or "e-mail") with (virus)) and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 10:11
S23	48	S22 and (alert$3 or report$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 10:01

S24	2	S22 and (trap$4 with address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 10:11
S25	9	S22 and (compress$3 with message)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 10:12
S26	7	S25 and forward$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 10:12
S27	71	virus and (trap$4 with address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 11:00
S28	21	S27 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 10:53
S29	1763	(trap$4 with address) and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 11:00
S30	225	S29 and alert$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 11:01
S31	217	S30 and detect$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 11:01

S32	5	virus with (trap$4 with address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 11:17
S33	2	S32 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 11:17
S34	614	virus with trap$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 12:24
S35	282	S34 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 12:49
S36	4	S35 and (address with (book or list or filter))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 12:27
S37	65	("electronic mail" or "email" or "e-mail") with anomal$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 13:15
S38	11	S37 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 12:28
S39	32	("electronic mail" or "email" or "e-mail") with (virus or address) with trap$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 12:50

S40	2	S39 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 12:37
S41	566	("electronic mail" or "email" or "e-mail") with (virus or address) with (trap$4 or filter$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 12:50
S42	156	S41 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 12:50
S43	89	S42 and (report$3 or alert$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 12:50
S44	133	(("electronic mail" or "email" or "e-mail") with virus) and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 13:03
S45	0	S44 and ("honey pot" or decoy)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 13:04
S46	1921	virus and ("honey pot" or decoy)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 13:04
S47	595	S46 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 13:05

EAST Search History

S48	11	S47 and ("email" or "e-mail")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 13:05
S49	2830	("electronic mail" or "email" or "e-mail" or address) with trap$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 13:15
S50	1787	S49 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 13:16
S51	22	S50 and (virus)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 13:17
S52	10358	(email or "e-mail") with (alter$3 or notif$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 14:26
S53	174	S52 and (compress$3 with (email or "e-mail"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 14:26
S54	53	S53 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 14:30
S55	70	(virus with (alert$3 or notif$7) with (email or "e-mail"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 14:30

EAST Search History

S56	14	S55 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 14:34
S57	11	((forward$3 or rout$3) with (infect$3 or virus) with ("email" or "e-mail")) and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 14:37
S58	2	"6898715".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:46
S59	27948	morris.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:36
S60	354	S59 and virus	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:36
S61	44	S60 and robert.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:37
S62	20	S61 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:42
S63	1	wo-200153965-$.did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:47

EAST Search History

S64	1	au-200153965-$.did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:44
S65	10112	davies.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:45
S66	159	S65 and ian.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:45
S67	1	S66 and virus	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:45
S68	2	wo-9933188-$.did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:49
S69	1	wo-200195067-$.did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:49
S70	2	"5530853".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:04
S71	2	GB-2317793-$.did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:04

S72	3644	726/22-24,1-3,5-6,11-14.ccls. or 713/188.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 12:26
S73	1489	S72 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 12:41
S74	352	(spam$4 with virus)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 12:41
S75	7	S74 and S73	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 12:27
S76	46	(spam$4 with (contain$3 or hav$3) with virus)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 12:41
S77	4	S76 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 12:55
S78	1075	("electronic mail" or "email" or "e-mail") with (virus or trojan)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 12:46
S79	18	S78 and (((honey adj1 pot) or decoy or trap) with (address or mail))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 12:51

S80	2	S79 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 12:51
S81	72	S78 and (((honey adj1 pot) or decoy or trap))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 12:51
S82	9	S81 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 12:51
S83	22	S74 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 12:55
S84	1050	("electronic mail" or "email" or "e-mail") with virus	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 13:52
S85	147	S84 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 13:55
S86	2	S85 and ($2mail with (compress or zip$4))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 13:56
S87	2384	($2mail with (compress or zip$4))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 13:55

S88	988	S87 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 13:57
S89	4	S88 and ((send$3 or transmit$4) with (mail with administrator))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 13:56
S90	5	($2mail with (compress or zip$4) with virus)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 13:56
S91	0	S90 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 13:57
S92	6	("6052709" or "6615348" or "6898715").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 17:38
S93	35	((honey adj pot) or decoy) with (email or "e-mail" or (electronic adj mail))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:37
S94	10	S93 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:44
S95	0	stor$3 with ((honey adj pot) or decoy) with address with book	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:45

S96	0	writ$3 with ((honey adj pot) or decoy) with address with book	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:45
S97	0	sav$3 with ((honey adj pot) or decoy) with address with book	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:46
S98	426	(sav$3 or stor$3 or register$3) with (email or (electronic adj mail)) with address with book	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:46
S99	64	S98 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:53
S100	2	S99 and virus	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:47
S101	24	virus with (scan$4 or read$3 or access$3) with (address adj book)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:53
S102	3	S101 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:53
S103	91	virus with (address adj book)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:35

S10 4	8	S103 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:18
S10 5	14	"2364142"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:22
S10 6	2875	(bait or trap) with (address$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:45
S10 7	1644	S106 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:30
S10 8	2	S107 and (virus with ("electronic mail" or "email" or "e-mail"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:26
S10 9	2	"5530853".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:28
S11 0	347	spam adj filter	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:28
S11 1	1	S110 and davies	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:29

S11 2	10410	davies.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:29
S11 3	172	S112 and ian.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:30
S11 4	41	S113 and filter	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:30
S11 5	0	S114 and spam	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:30
S11 6	14	S114 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:36
S11 7	265	virus and (honey and pot)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:36
S11 8	33	S117 and ("electronic mail" or "email" or "e-mail")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:36
S11 9	9	S118 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:36

S12 0	9	virus with (bait or trap) with (address$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:56
S12 1	2	"6757830".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:57
S12 2	2	"20020073338".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:59
S12 3	2	"6772196".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:59
S12 4	1652	compress$3 with mail	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:00
S12 5	444	S124 and ((report$3 or forward$3) with (virus or mail))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:00
S12 6	181	S125 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:07
S12 7	1	S126 and (compress$3 with virus with mail)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:07

S128	6	("6757830" or "6052709" or "5889943").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 13:10
S129	140	(decoy or (honey adj1 pot)) with (address or email or "e-mail")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 16:53
S130	32	S129 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 17:03
S131	36	(virus or worm) with (access$3 or use or using) with ((address or $2mail) adj (book or list or database))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 17:05
S132	0	S131 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 17:06
S134	43	(virus or worm or intruder or trojan) with (access$3 or use or using) with ((address or $2mail) adj (book or list or database or file))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 17:07
S136	1	S134 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 17:06
S137	11227	(virus or worm or intruder or trojan) with (propagat$3 or distribut$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 17:17

EAST Search History

S13 8	105	S129 and (network or $2mail)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 17:09
S13 9	17	S138 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 17:18
S14 2	35	(virus or worm or intruder or trojan) with (self) with $2mail$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 17:17
S14 3	1	S142 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 09:32
S14 4	3	"9933188"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 09:37
S14 5	32	((love adj1 bug) or melissa or (bubble adj1 boy)) and ($2mail) with (virus or worm or bug)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 09:38
S14 6	7	S145 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:12
S14 7	3953	(add$3 or register$3) with (address or $2mail) with (client or user) with (book or list or database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 09:53

S14 8	874	S147 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:52
S14 9	16	S148 and ((determin$3 or detect$3) with (virus or spam or worm or trojan or bug))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 09:55
S15 0	116	726/24.ccls. and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:47
S15 1	13808	(trigger$3 with ($2mail or address))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:38
S15 2	6	S151 and S150	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:46
S15 3	3271	(register$3 or set) with (trigger$3 or decoy) with address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:46
S15 4	1798	S153 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:48
S15 5	5612	726/22-24,1-3,5-6,11-14.ccls. or 713/188.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:48

S15 6	4	S155 and S154	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:49
S15 7	2801	(trigger$3 or (set adj1 off)) with $2mail	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:49
S15 8	65	S157 and ((decoy or false or honey) with (address or $2mail))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:50
S15 9	693	S157 and ((decoy or false or honey or monitor$3) with (address or $2mail))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:50
S16 0	15	S158 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:54
S16 1	124	S159 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 11:54
S16 2	18	morris-robert.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 11:53
S16 3	2847	(trap) with address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 11:54

S16 4	37	S163 and ((virus or worm) with (detect$3 or register$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 12:05
S16 5	17	S164 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 12:05
S16 6	25	S163 and ((virus or worm) with (detect$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 12:05
S16 7	5	S166 and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 12:08
S16 8	284	726/22-23.ccls. and @ad<"20010129"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 12:08
S16 9	65	S168 and ((detect$3 or determin$3) with (virus or worm))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 12:09
S17 0	2	"6014688".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 13:22

Google

Web   Images   Video   News   Maps   more »

first self mailing virus   [Search]   Advanced Search
                                             Preferences

Web   Results **1 - 10** of about **1,390,000** for first **self mailing** virus. (0.22 seconds)

BetaNews | Cross-Site Scripting Worm Hits MySpace
forgot my password on myspace after changing it cause of a **virus** can you help me get it
back i do not have a valid e-**mail** so i cant recieve the forgot ...
www.betanews.com/article/CrossSite_Scripting_Worm_Hits_MySpace/1129232391 - 163k -
May 9, 2007 - Cached - Similar pages

Computer Virus Timeline — Infoplease.com
1949: Theories for **self**-replicating programs are **first** developed. ... and spamming
techniques are used to mass-**mail** copies of the worm to potential victims. ...
www.infoplease.com/ipa/A0872842.html - 35k - Cached - Similar pages

PC World - Self-Propagating Worm Spreads
Security experts are warning of the **first self**-propagating **virus** to take advantage ... You
will also get PC World's Weekly Brief, a free e-**mail** newsletter. ...
www.pcworld.com/news/article/0,aid,111965,00.asp - 49k - Cached - Similar pages

Timeline of notable computer viruses and worms - Wikipedia, the ...
October 1989: Ghostball, the **first** multipartite **virus**, is discovered by Friðrik ... It spread by
mass-**mailing**. Its payload, which activates on the third of ...
en.wikipedia.org/wiki/Timeline_of_notable_computer_**virus**es_and_worms - 48k -
Cached - Similar pages

Computer worm - Wikipedia, the free encyclopedia
A computer worm is a **self**-replicating computer program. ... the Christmas Tree EXEC
Worm was likely the **first** worm on a worldwide network, spreading across ...
en.wikipedia.org/wiki/Computer_worm - 40k - May 8, 2007 - Cached - Similar pages
[More results from en.wikipedia.org]

E-mail tips, resources, etiquette http://www.planetfriendly.net
Virus Self-Defence Primer. How to protect your work, your time, your privacy. ... backup
your important files, and scan the diskette **first**. ...
www.planetfriendly.net/**virus**tips.html - 36k - Cached - Similar pages

A 20-year plague | CNET News.com
From theory to reality, **self**-propagating code took decades to go from concept to ... The
first mass-**mailing** computer **virus**, Melissa was a macro **virus** that ...
news.com.com/2009-7349-5111410.html - 53k - Cached - Similar pages

16 candles for first Internet worm | CNET News.com
16 candles for **first** Internet worm | In 1988, a student unleashed a **self**-replicating worm
that halted thousands of computers--and lit a fire under online ...
news.com.com/16+candles+for+**first**+Internet+worm/2100-7349_3-5438291.html - 48k -
May 8, 2007 - Cached - Similar pages

www.digitalcraft.org
An anonymous German lets the **first self**-encoding memory-resident **virus**, Cascade, ... It is
also the **first** worm equipped with its own **mail** server. ...
www.digitalcraft.org/?artikel_id=295 - 31k - Cached - Similar pages

W32/Mydoom@MM